



**CATALOGUE**  
PRODUITS



**EPMO**<sup>®</sup>  
EUROPEAN PERFORMANCE MOTOR OILS



# NOS LUBRIFIANTS

- 1 AUTO
- 2 MOTO
- 3 POIDS LOURDS
- 4 AGRICULTURE

- 5 TRANSMISSION
- 6 LIQUIDES
- 7 GRAISSES

**AUTO**













# 5W20

## PERFORMANCE

NORMES	FIAT 9.55535-DM1	FORD WSS-M2C913-C/D	JAGUAR LAND ROVER STJLR.03.5003	RENAULT RN 0700	PORSCHE C20	VW 508.00/509.00
ACEA A1/B1, C5 API: SP	●	●	●	●	●	●
ACEA C5 API SN, SN+	●	●	●	●	●	●











# 5W50

## PERFORMANCE

NORMES

BMW  
LONGLIFE-01

MB  
229.3

PORSCHE  
A40

VW  
500 00

VW  
505 00

ACEA: A3/B4

API: SN/CF





# 10W30

## PERFORMANCE

### NORMES

MB  
229.1

RN  
0700

RN  
0700/0710

VW  
501.01

VW  
505 00

ACEA: A3/B3

ACEA: A3/B4

API: SM/CF





# 10W40



## PERFORMANCE

NORMES	MB 229.1	RN 0700	RN 0710	VW 501.01	VW 505 00
ACEA A3/B3 API SL/CF	●	●	●	●	●
ACEA A3/B4 API SN/CF	●	●	●	●	●
ACEA A3/B3 ACEA A3/B4 API SM/CF	●	●	●	●	●
ACEA: A3/B3 ACEA: A3/B4 API: SL/CF	●	●	●	●	●



# 10W50

## PERFORMANCE

### NORMES

MB  
229.1

RN  
0700

RN  
0700/0710

VW  
501.01

VW  
505 00

ACEA: A3-B3/A4-B4

API: SL-CF





# 10

## PERFORMANCE

NORMES	CAT TO-2	MAN 270	MB 226.0/227.0/228.0	MIL MIL-L-2104 B	MIL MIL-L-46152 B	MTU TYPE I
ACEA: E2 ALLISON C3 API: SF/CC API: SF/CF	●	●	●	●	●	●





# 20

## PERFORMANCE

NORMES	CAT TO-2	MAN 270	MB 226.0	MIL MIL-L-2104 B	MIL MIL-L-46152 B	MTU TYPE I
API: SF/CC	●	●	●	●	●	●



# 30

## PERFORMANCE

NORMES	CAT TO-2	MAN 270	MB 227.0/228.0	MIL MIL-L-2104 B	MIL MIL-L-46152 B	MTU TYPE I
ACEA: E2 ALLISON C3 API: SG/CF API: SF/CF	●	●	●	●	●	●



40

## PERFORMANCE

NORMES	CAT TO-2	CCMC G2/D1	FORD M2C153-C (SF/CC)	FORD M2C9011-A	GM 6085M	MAN 270	MB 228.0	MIL MIL-L-46152 B/C	MTU TYPE I
API SF/CC API SF/CF ALLISON C3	●	●	●	●	●	●	●	●	●



# 50

## PERFORMANCE

NORMES	CAT TO-2	MAN 270	MB 227.0/228.0	MIL MIL-L-2104 B	MIL MIL-L-46152 B	MTU TYPE I
ACEA E2 ALLISON C3 API SG/CF API SF/CF	●	●	●	●	●	●



# 60

## PERFORMANCE

NORMES	CAT TO-2	MAN 270	MB 227.0/228.0	MIL MIL-L-2104 B	MIL MIL-L-46152 B	MTU TYPE I
ACEA E2 API SG/CF API SF/CF	●	●	●	●	●	●



# 15W40

## PERFORMANCE

NORMES	CCMC G2/D1	GM 6085M	MB 229.1	VW 501.01	VW 505 00
ACEA: A3/B4 API: SL/CF	●	●	●	●	●
API: SF/CC	●	●	●	●	●



# 15W50

## PERFORMANCE

### NORMES

FORD  
M2C9011-A

GM  
6085M

MB  
229.1

VW  
501.01

VW  
505 00

ACEA A3-B4  
API SL/CF





# 20W50

## PERFORMANCE

NORMES	MAN M3275-1	MB 228.3	MB 229.1	VOLVO VDS-2
ACEA: A3/B3 ACEA: A3/B4 API: SN/CF	●	●	●	●
ACEA: A3/B3 ACEA: A3/B4 ACEA: E3 ALLISON : C4 API: CG-4/SJ	●	●	●	●





**MOTO**



# 2 Temps

## PERFORMANCE

NORMES	Global GD	Husqvarna	Husqvarna 272	ISO-L-EGD	JASO FC	JASO FD	Piaggio Hexagon
NMMA: TC-W3 OMC: 40/70	●	●	●	●	●	●	●
API TC	●	●	●	●	●	●	●



# 10W40

4 TEMPS



## PERFORMANCE

NORMES	JASO MA	JASO MA2
API SL (1)	●	●
API SL (2)	●	●
API SM	●	●
API SN (1)	●	●
API SN (2)	●	●



# 20W50

## PERFORMANCE

NORMES	JASO MA	JASO MA2
API SG	●	●
API SL	●	●



# 5W40



## PERFORMANCE

NORMES	JASO MA	JASO MA2
API SN	●	●
API SL	●	●



**4 TEMPS**

# 5W50

## PERFORMANCE

### NORMES

### JASO MA

### JASO MA2

API SN



API SL






# 10W50

## PERFORMANCE

NORMES	JASO MA	JASO MA2
API SL	●	●
API SN	●	●
API SM	●	●



# 10W60

## PERFORMANCE

NORMES	JASO MA	JASO MA2
API SN	●	●





# 15W50

## PERFORMANCE

NORMES

JASO MA

JASO MA2

API SM



# POIDS LOURDS







# 15W50

## PERFORMANCE

### NORMES

CAT  
ECF-3

CUM  
CES 200  
86

MB  
228.3

MTU  
Type 2.1

VLV  
VDS-4.5

ACEA A3/B4, E7  
API CI-4/SL









# AGRICULTURE







# 10W20

## PERFORMANCE

NORMES	CAS MAT 3505/ 3525/ 3526	CAS MAT 3540	CAS MS 1206/ 1207/ 1209	CLA AS RN AGR	DIN 5152 4 T3 HVLP D	FRD ESN- M2C1 34 D	FRD FNHA- 2-C- 201.00	JD J20 D	KUBO TA UDT	KUBOT A UDT²	MC CORM ICKHT X	MF M 1143	KOMAT SU AXO 80	MF M 1145	NH NH 410B/ C	VALT RA G2-08	VALTR G2-B10	VLV 97303/ WB101	VLV 97304/ WB102	ZF TE-ML 03E	ZF TE-ML 05F	ZF TE-ML 06D	ZF TE-ML 06K	ZF TE-ML 06N	ZF TE-ML 06R	ZF TE-ML 17E	ZF TE-ML 21
AGCO/AL LIS: 821 XL	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
API: GL-4																											





# 20W30

## PERFORMANCE

NORMES	CASE MS1205	CASE: MS1206	FORD ESN-M2C-86 A/B	FORD ESN-M2C-134 A/B	MF M 1135	NH 420A	RENAULT THFI	ZF 05E
ALLIS CHALMERS: PF-821 ALLISON : C3/C4 API: GL 4	●	●	●	●	●	●	●	●



# TDTO

## PERFORMANCE

NORMES	CATERPILLAR TO-4	ISO 32	ISO 100	ISO 220	KOMATSU KES 07.868.1
10 ALLISON C4	●	●	●	●	●
30 ALLISON C4	●	●	●	●	●
50 ALLISON C4	●	●	●	●	●
60 ALLISON C4	●	●	●	●	●



# SAE 30

## PERFORMANCE

### NORMES

MB  
228.0

MB  
228.0

MAN  
270

ACEA: E2

API: SG









# 10W40

## PERFORMANCE

NORMES	CASE MAT 3525	CASE MAT 3526	CAT TO-2	EATON VICKERS I-280-S	EATON VICKERS M-2950-S	FORD ESN- M2C134 C/D	FORD ESN- M2C15 9 B/C	FORD FNH 82009203	JD J20C	JD J27	MF M 1144	MF M 1145	NH NH 024C	NH NH 410B	NH NH 420A	ZF TE-ML 03A	ZF TE-ML 05K	ZF TE-ML 06A	ZF TE- ML 06B	ZF TE- ML 06C	ZF TE- ML 07B	ZF TE-ML 07D
ACEA: E3  ALLISON : C4 (Agriculture applic.) API: CG-4 API: GL 4 API: GL 5 (Low speed/high torque)  API: SF/CE	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●







# 15W40

## PERFORMANCE

NORMES	CASE MAT 3525	CASE MAT 3526	EATON VICKERS M-2950-S	FORD ESN- M2C134 C/D	FORD ESN- M2C159 B/C	FORD FNH 82009203	JD J20C	JD J27	MF M 1135	MF M 1139	MF M 1143	MF M 1144	MF M 1145	NH NH 024C	ZF TE-ML 03A	ZF TE-ML 05K	ZF TE-ML 06A	ZF TE-ML 06B	ZF TE-ML 06C	ZF TE-ML 07B	ZF TE-ML 07D
ACEA: E3  ALLISON : C4 (Agriculture applic.) API: CG-4 API: GL-4 API: GL-5 (Low speed/high torque)  API: SF/CE	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●



# TRANSMISSION



# ATF PERF 6

## PERFORMANCE

NORMES	BMW 83220142516	BMW M-1375.4	HYUNDAI 040000C90S	JAGUAR Fluid 8432	LAND ROVER TYK500050	MASERATI 231603	VW G 055 005	ZF TE-ML 11
AML: 4G4319A509/AA/S BENTLEY: PY112995PA	●	●	●	●	●	●	●	●



# ATF PERF 8

## PERFORMANCE

NORMES	BMW 83222152426	CHRYSLER 68157995AA	FIAT 9.55550-AV5	JAGUAR 02JDE26444	LAND ROVER LR023288	VW 060 162
ZF 8 HP	●	●	●	●	●	●







# MTF 75W80

## PERFORMANCE

NORMES	EATON Extended Drain	IVECO Meet Requirement	DAF Meet Requirement	MAN 341 E-3	MAN 341 Z-4	MAN 341 Z-5	MB 235.4	RENAULT B0032/2 ANNEX 3	VOLVO 97305/ 97307	ZF TE-ML 01L / 02L / 08 / 13 / 16K / 24A
API: GL-4	●	●	●	●	●	●	●	●	●	●







# MTF 75W90

## PERFORMANCE

NORMES	ARVIN Meritor O-76N	IVECO axles	MAN 341 Z2, 341 E3, 342 M3	MB 235.8	MIL MIL-L-2105 E	SCANIA STO 1.0 box	TMS 6816 DAF	VOITH 3.325-340	ZF TE-ML 02B, 05B, 07A, 08, 12B, 16F, 17B, 19C, 21B
API: GL 4+, GL-5 / LS	●	●	●	●	●	●	●	●	●



# MTF 75W140

## PERFORMANCE

NORMES	BMW	MIL MIL-L-2105 E	SCANIA STO 1.0 box	MB 235.8	IVECO	RENAULT
API: GL 4+, GL-5	●	●	●	●	●	●





# LIQUIDES











# LAVE-GLACE

## PERFORMANCE

### NORMES

- 22°C

- 70°C

LG PERF



LG + PERF





# GRAISSES



# GRAISSE

## PERFORMANCE

NORMES	DIN 51825 KP1 P-30	DIN 51825 KP2 P-30	DIN 51825 KP3 P-30	NLGI 2	NLGI 3
KP 123	●	●	●	●	●
PERF 2	●	●	●	●	●
PERF 3	●	●	●	●	●
KP 2	●	●	●	●	●



# **EPMO**<sup>®</sup>

EUROPEAN PERFORMANCE MOTOR OILS

✉ [contact@epmo-oil.com](mailto:contact@epmo-oil.com)

🌐 [www.epmo-oil.com](http://www.epmo-oil.com)

☎ + 33 (0)6 79 48 94 48 | + 33 (0)7 498 60 489

📍 Rue entre deux cours - 57530 Laquenexy - France